

UNITED STATES PATENT AND TRADEMARK OFFICE

Application Number	Filing Date	Inventor(s) Name	Attorney Docket No.
00 095 000	11 28 2001	Bjornson, Torleif	50225-8028 US03

22918
PERKINS COIE LLP
P.O. BOX 2168
MENLO PARK CA 94026

Title: Multiple array microfluidic device units

Date Mailed: 3/28/2002

Request for Substitute Papers

The papers filed on 02/19/02 (certificate of mailing dated 01/25/02) are no longer in condition to become part of the permanent records of the United States Patent and Trademark Office (USPTO) for this application (37 CFR 1.52(a)) due to the United States Postal Service sanitization process.

The USPTO requests that applicant provide a copy of the above-identified papers (except for any U.S. or foreign patent documents submitted with the above-identified papers) with a statement that such copy is a complete and accurate copy of the above-identified papers (signing and returning a copy of this notice will provide such a statement). The reply to this letter should be submitted to the USPTO by facsimile at the number indicated **703-746-4060(OIPE)**.

Alternatively, the reply to this letter may be hand-carried to the Customer Service Window located in Room 1B03 of Crystal Plaza Building 2, Arlington, Virginia 22202.

The USPTO **strongly** prefers that the reply to this letter be submitted by facsimile. However, if applicant cannot submit the reply to this letter by facsimile (or hand-delivery), the reply may be mailed to: Box Duplicate OIPE, U.S. Patent and Trademark Office, P.O. Box 2327, Arlington, VA 22202-2327.

This letter is not a notice under 37 CFR 1.251. However, failure to timely reply to this notice within **two (2) weeks** of the date of receipt of this letter may result in the USPTO issuing a notice under 37 CFR 1.251. **A copy of this notice should be included with the reply.**

The enclosed papers are a complete and accurate copy of the above-identified papers.

Name _____ Registration No. _____

Signature _____ Date _____